

SUITE 2c
49-51 ETON STREET
SUTHERLAND NSW 2232
PO Box 1155 SUTHERLAND NSW 1499
ABN 75 071 304 311

HIZART DENTAL LABORATORY



Phone: 02 9542 2288

Fax: 02 9542 2288

Email photos to: contact@hizartdental.com.au

ORDER FORM ACRYLIC CHROME CROWN IMPLANT

DATE:

SURGERY:

DENTIST:

PATIENT:

APPT 1.....

APPT 2.....

APPT 3.....


INSTRUCTIONS

SHADE



MAXILLARY

MANDIBULAR



Items supplied by dentist:

- ☐ Bruxer
- ☐ Gagger
- ☐ Aesthetics priority
- ☐ Function priority

- ☐ Bleaching tray
- ☐ Flexible / nylon denture
- ☐ Neuromuscular denture
- ☐ Repair
- ☐ Reline
- ☐ Special tray
- ☐ Splint hard/soft ☐ Splint Michigan
- ☐ Wax rim

CROWN AND BRIDGE

- ☐ Zirconia Crowns #
- ☐ Gold Crowns #
- ☐ Composite Crowns #

CHROME

- ☐ P/- CASTING
- ☐ -/P CASTING
- ☐ P/- CASTING and try in with teeth
- ☐ -/P CASTING and try in with teeth
- ☐ P/- CASTING and process
- ☐ -/P CASTING and process
- ☐ PROCEED TO FINISH

CHROME TO DO:

- ☐ Lab to design
- ☐ Modify my design as needed
- ☐ Follow my design
- ☐ Backings #
- ☐ Fine body ☐ Thick body
- ☐ Smooth finish major connector
- ☐ Study model of old denture

ACRYLIC

- ☐ P/- ACRYLIC (try in only)
- ☐ -/P ACRYLIC (try in only)
- ☐ P/- ACRYLIC (straight to finish)
- ☐ -/P ACRYLIC (straight to finish)
- ☐ F/- try in with teeth
- ☐ -/F try in with teeth
- ☐ F/- process
- ☐ -/F process



Mark high smile line

- ☐ Labial contour ☐ Centre line ☐ Incisal edge

IMPLANTS

Brand

Diameter

- ☐ Fixed
- ☐ Screw retained
- ☐ Cement retained
- ☐ Removable Overdenture
 - ☐ Ball retained
 - ☐ Locator
 - ☐ Milled bar
 - ☐ Other
- ☐ Surgical / Radiographic Guide
- ☐ Gutta Percha
- ☐ Radio Opaque Teeth



*Thank You For Using
Hizart Dental Lab*