



PREMIUM RANGE OF GLASS AND GLAZING HARDWARE

Head office:  
13377 78 Ave #702, Surrey, BC V3W 5B9

✉ [info@sterlinghardware.ca](mailto:info@sterlinghardware.ca) | ☎ (604) 593-5950 | 🌐 [www.sterlinghardware.ca](http://www.sterlinghardware.ca)

# STERLING



FRAMELESS  
SHOWER DOOR  
HARDWARE



## STERLING GROUP

Group Sterling is First generation Hardware Provider organization, into the business since 2014. Operated by the Industry veteran with vast experience of more than 20 years. Sterling Group is operating into two Vertical - Glass Hardware and LED Lighting. We have Operations spread across - Western and Central North-American Region.

Sterling Hardware Ltd provides glazing contractors with premium glass hardware and glazing supplies. Our ranges cover both commercial and residential applications. We specialize in providing excellent customer service, and carrying the products customers need in stock. We have large distribution warehouse in the heart of Surrey, British Columbia Canada and provide hardware throughout North America



### Vision

To be Become an Industry Leader in Architect Friendly Products , serving the North American Glass Hardware industry with Multiple Branches.




### Mission

Your Partners in Creation Of beautiful spaces, providing the highest quality products with the best in industry customer service.


## CONTENT

Hinges	:	A1 to A5
Glass Brackets	:	A6 to A8
Glass Clamps & Support Bars	:	A9 to A12
Header Kits	:	A14
U Channels, Trims, Flat Bars, J Bars	:	A15
Sliding shower door system	:	A17 to A23
Pull Handles, Knobs & Towel Bars	:	A24 to A27
Shower Seals	:	A29
Shower Kits with Glass	:	A31 to A32
Mirrors	:	A33 to A35


# STANDARD FINISHES




CHROME




BRUSHED NICKLE




MATT BLACK




MATT GOLD




OIL RUBBED BRONZE



ROSE GOLD



FULL PLATE  
HEAVY DUTY



FULL PLATE  
STANDARD DUTY



H-PLATE  
STANDARD DUTY



SHORT PLATE  
STANDARD DUTY



SHORT PLATE OFFSET  
HEAVY DUTY

# HINGES-STANDARD DUTY, SQ EDGE



**30001**  
Wall to Glass  
Full Back Plate Hinge



**30003**  
Glass to Glass  
135° Hinge



**30002**  
Wall to Glass  
H-Plate Hinge



**30004**  
Glass to Glass  
180° Hinge



**30007**  
Wall to Glass  
Short Plate Hinge



**30005**  
Glass to Glass  
90° Hinge





**30018**  
Wall to Glass  
Offset Plate Hinge



**35067**  
Wall to Glass  
Pivot Hinge

## EN1935 100,000 Lifecycles Tested

Material : Solid Brass  
Glass Thickness : 5/16"-1/2" (8-12mm) tempered glass  
Maximum Door Weight : 45Kgs / 2 Hinges  
Maximum Door Width : 800mm  
Screws available : phillips screws, allen screws  
Automatic Door Function : 20°



## Available Finishes



90° Glass-Glass; 180° Glass-Glass  
90° Glass - Wall (without glass frame)

135° Glass-Glass



**40001**  
Wall to Glass  
Full Back Plate Hinge



**40003**  
Glass to Glass  
135° Hinge



**40002**  
Wall to Glass  
H-Plate Hinge



**40004**  
Glass to Glass  
180° Hinge



**40007**  
Wall to Glass  
Short Plate Hinge



**40005**  
Glass to Glass  
90° Hinge






**40018**  
Wall to Glass  
Offset Plate Hinge



**45067**  
Wall to Glass  
Pivot Hinge

EN1935 100,000 Lifecycles Tested

- Material : Solid Brass
- Glass Thickness : 5/16"-1/2"(8-12mm) tempered glass
- Maximum Door Weight : 45Kgs / 2 Hinges
- Maximum Door Width : 800mm
- Screws available : phillips screws, allen screws
- Automatic Door Function : 20°



90° Glass-Glass; 180° Glass-Glass  
90° Glass -Wall (without glass frame)

135° Glass-Glass

Available Finishes



**50001**  
Wall to Glass  
Full Back Plate Hinge



**50009**  
Wall To Glass  
Full Back Plate Hinge



**50002**  
Wall to Glass  
H-Plate Hinge



**50010**  
Wall to Glass  
H-Plate Hinge



**50007**  
Wall To Glass  
Short Plate Hinge



**50079**  
Wall to Glass  
Short Plate Hinge




**50004**  
Glass to Glass  
180° Hinge




**50015**  
Glass to Glass  
180° Hinge

EN1935 100,000 Lifecycles Tested

- Material : Solid Brass
- Glass Thickness : 5/16"-1/2"(8-12mm) tempered glass
- Maximum Door Weight : 45Kgs / 2 Hinges
- Maximum Door Width : 800mm
- Screws available : phillips screws, allen screws
- Automatic Door Function : 20°



- Material : Solid Brass
- Glass Thickness : 3/8"(10mm)-1/2"(12mm) tempered glass
- Maximum Door Weight : 50kgs/2pc or 65kgs/3pcs
- Maximum Door Width : 36"(914mm)
- Screws available : phillips screws, allen screws
- Automatic Door Function : 20°



Available Finishes



GENOVA HINGES-STANDARD DUTY, SQ EDGE, ADJ.

VENTURA HINGES-HEAVY DUTY, SQ EDGE, ADJ.

ADJUSTABLE SERIES

## HINGES-HEAVY DUTY SQ, EDGE



**30009**  
Wall to Glass  
Full Back Plate Hinge



**30023**  
Glass to Glass  
135° Hinge



**30010**  
Wall to Glass  
H-Plate Hinge



**30015**  
Glass to Glass  
180° Hinge



**30079**  
Wall to Glass  
Short Plate Hinge



**30025**  
Glass to Glass  
90° Hinge




**30119**  
Wall to Glass  
Offset Hinge



**35066**  
Wall to Glass  
Pivot Hinge

### EN1935 100,000 Lifecycles Tested

Material : Solid Brass  
Glass Thickness : 3/8"(10mm)-1/2"(12mm)  
tempered glass  
Maximum Door Weight : 50kgs/2pc or 65kgs/3pcs  
Maximum Door Width : 36"(914mm)  
Screws available : phillips screws,  
allen screws  
Automatic Door Function : 20°



### Available Finishes



## HINGES HEAVY DUTY BEVELED EDGE



**40009**  
Wall to Glass  
Full Back Plate Hinge



**40023**  
Glass to Glass  
135° Hinge



**40010**  
Wall to Glass  
H-Plate Hinge



**40015**  
Glass to Glass  
180° Hinge



**40079**  
Wall to Glass  
Short Plate Hinge



**40025**  
Glass to Glass  
90° Hinge




**40119**  
Wall to Glass  
Offset Hinge



**45066**  
Wall to Glass  
Pivot Hinge

### EN1935 100,000 Lifecycles Tested

Material : Solid Brass  
Glass Thickness : 3/8"(10mm)-1/2"(12mm)  
tempered glass  
Maximum Door Weight : 50kgs/2pc or 65kgs/3pcs  
Maximum Door Width : 36"(914mm)  
Screws available : phillips screws,  
allen screws  
Automatic Door Function : 20°



### Available Finishes



GLASS BRACKETS SQ. EDGE



 <p><b>35000</b> Wall to Glass Notch in Glass SQ</p>	<p>FRONT VIEW</p> 
 <p><b>35003</b> Movable Transom</p>	 <p><b>35055</b> Glass to Glass 135° Fixed Transom</p>
 <p><b>35004</b> 180° Fixed Transom</p>	 <p><b>35007</b> Wall to Glass 90° (Offset Plate)</p>
 <p><b>35005</b> Glass to Glass 90° Bracket</p>	 <p><b>35005A</b> Wall to Glass 90° Bracket</p>
 <p><b>35054</b> Glass to Glass Fixed Bracket 5"</p>	 <p><b>35006</b> Glass to Glass Movable Bracket</p>











Available Finishes



Material : Solid Brass  
Glass Thickness : 5/16" - 1/2"(10-12mm)  
tempered glass  
Size : 50mm x 50mm

GLASS BRACKETS BEVELED EDGE



 <p><b>55000</b> Wall to Glass Beveled Notch in Glass style</p>	<p>FRONT VIEW</p> 
 <p><b>55003</b> Movable Transom</p>	 <p><b>55055</b> Glass to Glass Clamp Fixed 135°</p>
 <p><b>55004</b> 180° Fixed Transom</p>	 <p><b>55007</b> Wall to Glass 90° (Offset Plate)</p>
 <p><b>55005</b> Glass to Glass 90° Bracket</p>	 <p><b>55005A</b> Wall to Glass 90° Bracket</p>
 <p><b>55054</b> Glass to Glass Fixed Bracket -5"</p>	 <p><b>55006</b> Glass to Glass Movable Bracket</p>

Available Finishes



Material : Solid Brass  
Glass Thickness : 5/16" - 1/2"(10-12mm)  
tempered glass  
Size : 50mm x 50mm



**35029**  
Square Glass Shelf Clip



**35229**  
Back to Back Shelf Clip



**35526**  
Square Shelf Clip



**35028**  
Half Moon Clip



**35527**  
Over Panel Fitting  
1/4" (6mm) & 3/8" (10mm)



**35525**  
Square Over Panel Fitting



**35727**  
Over Panel Fitting Square  
1/4" (6mm) & 3/8" (10mm)



**35111**  
Door Stopper  
Half Dome



**35228**  
Round Shelf Clip



**35112**  
Door Stopper Vertical

Available Finishes



Material : Solid Brass  
Glass Thickness : 3/8"(10mm) tempered glass



**GLASS CLAMP  
& SUPPORT BAR**

GLASS CLAMP & SUPPORT BARS



GLASS BRACKETS

 <p><b>35010</b> Over Panel Flexible 90° Glass to Glass Adj. 1/4" (6mm) &amp; 3/8" (10mm)</p>	 <p><b>35032</b> Cylindrical Robe Hook</p>
 <p><b>35011</b> Over Panel Fixed 90° Glass to Glass 1/4" (6mm) &amp; 3/8" (10mm)</p>	 <p><b>35032A</b> Round Robe Hook</p>
 <p><b>35012</b> Over Panel Wall to Glass - Left 1/4" (6mm) &amp; 3/8" (10mm)</p>	 <p><b>35033</b> Square Robe Hook</p>
 <p><b>35013</b> Over Panel Wall to Glass - Right 1/4" (6mm) &amp; 3/8" (10mm)</p>	
 <p><b>35135</b> Over Panel Fitting 135° 1/4" (6mm) &amp; 3/8" (10mm)</p>	

Available Finishes















Material : Solid Brass  
Glass Thickness : 3/8"(10mm) tempered glass

SUPPORT BAR & ACCESSORIES-ROUND



SUPPORT BARS

 <p><b>35038</b> 19mm Dia Support Bar Round Length - 39"</p>	 <p><b>35039</b> 19mm Dia Support Bar Round Length - 51"</p>
 <p><b>35033</b> 90° Glass to wall bar Length optional: 31"/45"/51"</p>	 <p><b>35035</b> Glass to Glass bar Length optional: 31"/45"/51"</p>
 <p><b>35041</b> Vertical Support Bar Connector</p>	 <p><b>35043</b> Dead end Connector</p>
 <p><b>35037</b> Support Bar wall Connector - Angular</p>	 <p><b>35042</b> Support Bar Wall Mount Fixed Connector</p>
 <p><b>35031</b> Adjustable Glass to Support Bar Bracket</p>	 <p><b>35030</b> Adjustable Support Bar Bracket-Wall mount</p>
 <p><b>35033A</b> Support Bar Wall to Glass</p>	 <p><b>35033B</b> Support Bar Wall to Glass</p>

Available Finishes



Material : Brass, Stainless Steel  
Glass Thickness : 5/16" - 1/2"(8-12mm) tempered glass  
Size : For 3/4" (19mm) Tubing And 1" (25mm) Tubing



	<b>35038SQ</b> 19mm Support Bar SQ Length - 39"		<b>35039SQ</b> 19mm Support Bar Length - 51"
	<b>35033SQ</b> 90° Glass to wall bar Length optional: 31"/45"/51"		<b>35037DESQ</b> Connector
	<b>35037SQ</b> Support bar Wall Connector-Angular		<b>35041SQ</b> Support bar Connector
	<b>35043SQ</b> Dead end Connector		<b>35042SQ</b> Wall Mount Fixed Connector
	<b>35035SQ</b> 90° Glass to wall bar Length optional: 18"/25"/32"		<b>35035ASQ</b> Adjustable Glass to wall bar Length optional: 18"/25"/32"

Available Finishes



Material : Solid Brass  
Glass Thickness : 3/8"(10mm)  
tempered glass



**PREMIUM SHOWER  
HEADER KIT**




**26005R-MB**  
Shower Header - Round



**26005RA-BN**  
Adjustable Headers- Round



**26005 S-MB**  
Shower Header - Square



**26005-Snap Snap in Filler**  
To cover door gap

**26007**



**35068**

Pivot Adaptor



**35067-90**

90° Adaptor



**26008**

90° Corner Bracket



**26009**

Header Gasket for 10mm Glass



**26006**

Adj Bracket




## Premium Shower Header Kit-95"

- ▶ For 3/8" and 1/2" Tempered Glass
- ▶ Snap-in filler
- ▶ Brackets
- ▶ Seal



### Available Finishes




**15030**  
3/4" Shower channel for 10mm Glass




**15034**  
3/4" Shower channel for 12mm Glass



**15035-1-MG**  
1" Shower channel for 10mm Glass



**15035-1-CH**  
1" Shower channel for 12mm Glass



**15041**  
3/4" TRIM



**15051**  
3/4" FLAT BAR




**15043**  
1" TRIM




**15052**  
1" FLAT BAR




**15061**  
J BAR



**15062**  
J BAR HD



**15063**  
THRESHOLD



### Available Finishes





# SLIDING SHOWER DOOR SYSTEM

## SALEM SERIES 26001 (KIT)



This sliding door system suitable for regular size sliding door, suitable for 8-10mm thick tempered glass; This product is easy install, simple and convenient to use. Suitable for wall to wall, and wall to glass (return glass) installation.


### SPECIFICATIONS

Max door weight 40kg For 8-10mm glass 10x30mm track rail  
Material : Stainless Steel

### COMPONENTS

Track roller, Ø40mm 4 pcs		Track holder 2 pcs		Anti lift 2 pcs	
Wall mount Bracket 2 pcs		Door Stopper 2 pcs		Single side door guide 1 pc (for option)	
1 header track 30x10x2000mm (78") 1 pc		2" Round Disk Handle - 35040 Bubble Seal 35022 Threshold			

### GLASS CUTTING



### Available Finishes



Sliding Shower Door System 30

SLIDING SHOWER DOOR SYSTEM



## SLIDING SHOWER DOOR SYSTEM

**SALEM SERIES  
26001  
(KIT WITH RETURN PANEL)**



This sliding door system suitable for regular size sliding door, suitable for 8-10mm thick tempered glass; This product is easy install, simple and convenient to use. Suitable for wall to wall, and wall to glass (return glass) installation.

### SPECIFICATIONS

Max door weight 40kg  
Material: stainless steel


For 8-10mm glass  
Max door width 800mm, Max door height 2200mm

10x30mm track rail

### COMPONENTS

Track roller, Ø40mm 4 pcs		Anti lift 2 pcs		Door Stopper 2 pcs	
Wall mount bracket 2 pcs		Track holder, Ø27.5mm 2 pcs		Door guide 1 pc (for option)	
Return panel mounting KIT 1 pc		Track 10x305mm 2000(78")mm 1 pc			

### GLASS CUTTING



### Available Finishes



Sliding Shower Door System 30



# SLIDING SHOWER DOOR SYSTEM

**SALEM SERIES  
27001  
(HEAVY DUTY KIT)**



This sliding door system suitable for regular size sliding door, suitable for 10-12mm thick tempered glass; This product is easy install, simple and convenient to use. Suitable for wall to wall, and wall to glass (return glass) installation.

## SPECIFICATIONS

Max door weight 45kg  
Material: stainless steel

For 10-12mm glass  
Max door width 800mm, Max door height 2200mm

25mm track rail

## COMPONENTS

Track roller, Ø70mm  
4 pcs



Track roller, Ø40mm  
2 pcs



Door Stopper  
2 pcs



Wall mount bracket  
2 pcs



Glass door handle  
1 pc




Door Guide  
1 pc



Track Ø25mm x 78"  
1 pc



## GLASS CUTTING



## Available Finishes



This sliding door system suitable for regular size sliding door, suitable for 8-10mm thick tempered glass; This product is easy install, simple and convenient to use. Suitable for wall to wall, and wall to glass (return glass) installation.

### SPECIFICATIONS

Max door weight 35kg  
**Material:** stainless steel

For 10mm glass  
 Max door width 800mm, Max door height 2200mm

25mm track rail

### COMPONENTS

Track roller, Ø55mm  
8 pcs



Anti lift  
2 pcs



Wall mount bracket  
2 pcs




Track 10x50x1850(73mm)  
1 pc



Door guide  
1 pc



### GLASS CUTTING



### Available Finishes





**60001**  
D-Pull handle  
Size  
Ø19-6", 8", 10", 12", 18", 24"



**60002**  
D-Pull handle with Washers  
Size  
Ø19-6", 8", 10", 12", 18", 24"



**60007**  
D-Pull handle SQ  
Size  
6", 8", 12"



**60021**  
Pull handle  
Size  
Ø19-6"  
Ø19-8"



**60023**  
Pull handle with Washers  
Size  
Ø19-6"  
Ø19-8"



**60006**  
Pull handle  
Size  
Ø19-6"  
Ø19-8"



**60006W**  
Pull handle with washers  
Size  
Ø19-6", 8", 10", 12"  
Ø25-18", 24", 36", 48"



**60076**  
Pull handle with Washers  
Size  
Ø19-6", 8", 10", 12"  
Ø25-18", 24", 36", 48"



**60081**  
Pull handle slim line profile  
Size  
12"-18", 24"



Pull handle half profile  
Size  
Ø19-6", 8", 10", 12", 18", 24"



Pull handle with washers half profile  
Size  
Ø19-6", 8", 10", 12", 18", 24"



Pull handle half profile  
Size  
6", 8", 12"




Pull handle half profile  
Size  
Ø20-6"  
Ø20-8"



Pull handle half profile  
Size  
Ø20-6"  
Ø20-8"



Pull handle slim line half profile  
Size  
12", 18", 24"




Available Finishes




CH BN MB MG ORB RG




**35014-01**




**35014-02**




**35014-03**




**35014-04**




**35014-05**




**35014-06**



**35014-07**



**35014-08**



Available Finishes



CH BN MB MG ORB RG

PULL HANDEL-KNOBS & TOWEL BARS

PULL HANDEL-KNOBS & TOWEL BARS



SPECIFICATIONS

**Material:**  
Brass, Stainless steel

**Glass thickness:**  
For 5/16"-1/2" (8-12mm) glass

**Cutting:**  
1/2" (12mm) hole

ø19-Back to Back  
60180-NWD(18")  
60200-NWD(20")  
60240-NWD(24")  
60300-NWD(30")



ø19-Single Side  
60118-NWS(18")  
60200-NWS(20")  
60240-NWS(24")  
60300-NWS(30")



ø19-Back to Back  
60180-WD(18")  
60200-WD(20")  
60240-WD(24")  
60300-WD(30")



ø19-Single Side  
60118-WS(18")  
60200-WS(20")  
60240-WS(24")  
60300-WS(30")



ø19-Back to Back  
60180-MTD(18")  
60240-MTD(24")



ø19-Single Side  
60180-MTS(18")  
60240-MTS(24")



NWD=No Washer Double Side | WS=with Washer Single Side | MTD=Mitered Double Side | MTS=Mitered Single Side

Available Finishes



CH BN MB MG ORB RG



ø19-Back to Back  
60718-D(18")  
60724-D(24")



ø19-Back to Back  
60718-S(18")  
60724-S(24")



ø19-Back to Back  
60018-D(18")  
60024-D(24")



ø19-Back to Back  
60018-S(18")  
60024-S(24")



HANDLE / TOWEL BAR COMBINATION

60618NW- 6" pull & 18" towel bar  
60624NW- 6" pull & 24" towel bar  
60818NW- 8" pull & 18" towel bar  
60824NW- 8" pull & 24" towel bar




60618W- 6" pull & 18" towel bar  
60624W- 6" pull & 24" towel bar  
60818W- 8" pull & 18" towel bar  
60824W- 8" pull & 24" towel bar



60618MTW- 6" pull & 18" towel bar  
60624MTW- 6" pull & 24" towel bar  
60818MTW- 8" pull & 18" towel bar  
60824MTW- 8" pull & 24" towel bar



67618NW- 6" pull & 18" towel bar  
67624NW- 6" pull & 24" towel bar  
67818NW- 8" pull & 18" towel bar  
67824NW- 8" pull & 24" towel bar



Available Finishes



CH BN MB MG ORB RG




**35021-1**

Water seal, glass to glass  
For Swing Door  
for 8-10-12mm glass  
L=12mm


**35021-2**


Water seal, glass to glass  
For Swing Door  
for 8-10-12mm glass  
L=10-12mm


**35021-3**


Water seal, glass to glass  
For Swing Door  
for 8-10-12mm glass  
L=15mm


**35021-4**


Water seal, glass to glass  
For Swing Door  
for 8-10-12mm glass  
L=15mm


**35021-5**


Water seal, glass to glass  
For Swing Door  
for 8-10-12mm glass  
L=12-16mm


**35021-6**


Water seal, glass to glass  
For Swing Door  
for 8-10-12mm glass  
L=10-12mm


**35021-7**

Water seal, glass to glass  
For Swing Door & Sliding Door  
for 8-10-12mm glass  
L=15-25mm


**35021-8**

Water seal, glass to glass  
For Swing Door & Sliding Door  
for 8-10-12mm glass  
L=6-8mm


**35021-9**

Water seal, glass to glass  
For Swing Door  
for 10-12mm glass


**35021-10**


Water seal, glass to glass  
For Swing Door & Sliding Door  
for 10-12mm glass


**35021-11**


Magnetic Door seal, glass to glass  
For Swing Door  
for 8-10mm glass  
Use for 90° & 180°


**35021-12**

Magnetic Door seal, glass to glass  
For Swing Door  
for 8-10-12mm glass  
Use for 135° & 180°







# PREMIUM SHOWER SEALS



**PREMIUM  
SHOWER KITS / MIRROR / GLASS**







**SD60**  
Glass Height 60"  
Glass Thickness 6mm  
Aluminum Frame  
24" Towel Bar  
Knob  
Sliding Rollers

-  CH
-  BN
-  MB
-  MG



**SD75**  
Glass Height 75"  
Glass Thickness 6mm  
Aluminum Frame  
24" Towel Bar  
Knob  
Sliding Rollers





-  CH
-  BN
-  MB
-  MG

SHOWER KITS WITH GLASS

SHOWER KITS WITH GLASS







**SD62**  
 Glass Height 62"  
 Glass Thickness 10mm  
 Frameless  
 24" Towel Bar  
 30"x31" Bypass Sliding Door  
 6" Pull Handle

-  CH
-  BN
-  MB
-  MG



**SD78**  
 Glass Height 78"  
 Glass Thickness 10mm  
 Frameless  
 24" Towel Bar  
 30"x31" Bypass Sliding Door  
 6" Pull Handle

-  CH
-  BN
-  MB
-  MG

\*Actual product may look different from the picture shown here.

LED / NON LED MIRRORS



**Round Mirror 36"**  
**Bevelled Edge**  
**Non LED**

Different Sizes & Shapes Available - ASK OUR EXPERT



**Oval Mirror**  
**24" x 36"**  
**Bevelled Edges**

\*Actual product may look different from the picture shown here.

SHOWER KITS WITH GLASS

LED / NON LED MIRRORS

# FUNCTIONAL FEATURES

- Good life , excellent quality -

- Front light Dimmable
- Tempered glass mirror
- RGB
- RGB backlight Dimmable
- Bluetooth
- Anti-Fog
- Music's play
- Touch switch
- Brightness memory



## MULTIPLE LIGHT MODES SWITCH

- SWITCH FREELY AND DO WHAT YOU WANT -



## Backlit Led Lighted Mirror IP44 Sensor Switch LED Bathroom Mirror | Lighted Vanity Mirror

Includes Dimmer and Defogger, Easy installation with Vertical or Horizontal option. ON/OFF SENSOR DIMMER For Perfect Light .Energy saving LED lighting, Provides 50,000 Hours of Functional Inviting Ambiance. Perfect lighting for Make Up and Hair. IP44 rated for safe use in bathrooms, Sizes -24x24 /24x36/36x42/36x36/24x36 OVAL/36x36 Round

\*Actual product may look different from the picture shown here.

### 3X Magnifier

more convenient for makeup and shaving




### time / temperature

Mirror LED digital display



### Bluetooth Speaker

Surround sound, connect to mobile phone



60cm/80cm/Customized Size

Aluminum or Stainless Steel or Metal Alloy body

ETL cETL CE RoHS certifications with 3 years warranty



\*Actual product may look different from the picture shown here.