

Fuel Tank Storage Solutions

Proud Level 3 B-BBEE Contributor



SIYATHEMBANA

Leading Suppliers of Self Bunded Tank Tainers

Since 2011

Pioneers of:



Above Ground Tanks

Fuel Farms

Turnkey Above Ground Tanks

Solutions

Design & Engineering

Mobile Pump Houses

Lubrication Storage

Installation & Commissioning

1000 - 2M Capacity


Interconnected

ISO Certified

Standard ISO
Footprint

Delivered Anywhere

WWW.SELFBUNDEDTANKS.COM





Est. 2011

SIYATHEMBANA

Leading Suppliers of Self Bunded Tank Tainers

ISO 9001:2015



SC Tank Range



SC12 Tank

L: 2991mm H: 2896mm
W: 2438mm
Kg: 4300 (tare)
Max Fill Vol: 12 560L



SC 31 Tank

L: 6058mm H: 2896mm
W: 2438mm
Kg: 6950 (tare)
Max Fill Vol: 32 400L



SC 37 Tank

L: 6058mm H: 2896mm
W: 2438mm
Kg: 6 610 (tare)
Max Fill Vol: 35 710L



SC 70 Tank

L: 12 192mm H: 2591mm
W: 2438mm
Kg: 12 750 (tare)
Max Fill Vol: 69 400L



SC 75 Tank

L: 12 192mm H: 2591mm
W: 2438mm
Kg: 11 640 (tare)
Max Fill Vol: 75 300L





Est. 2011

SIYATHEMBANA

Leading Suppliers of Self Bunded Tank Tainers

ISO 9001:2015




Custom Solutions



Pump Skids

Duty and standby pump assemblies, with filtration. Skid mounted for added stability and durability with electrical control options.



Tank Pump Bay

Delivery and dispensing pump solutions including flow meters, filtration and electrical control. Secure, lockable pump bays perfect for remote sites and multiple flow rate requirements.



Lubricant Solutions

Lube dispensing points for maintenance workshops or mobile service trucks. Metering and filtration options available.



Mobile Pump House

Secure, self contained pump assemblies built to your exact specifications, suitable for fleet fueling, power generation or plant feed purposes.



Tank Farms

Interlinked Tanks
Up to 2M Litre Capacity
Optional:
Lighting | Walkways
Pumping Facilities





Key Specifications



Manufactured from CORTEN Steel
(BS700MC/FQ5.0)

Tanks are Self Bunded/Double Walled

Designed to fit on standard Container
Footprints

Quality tested before leaving QHC's Factory in
Qingdao in China

Vacuum tested on arrival in South Africa

Tanks primed and painted with Hempel
Hempadur 15560 Primer and Hempel
Hempathane 55100 Paint Coating

Container corner locks fitted as standard

Tanker hose filler provided with Dust Cover
Protection

Anti Syphon Valve standard

Overfill Protection + Mechanical Shutoff and
Alarm

Permanent ladder and platform for safe access

Pressure/Vacuum Vent in compartment
containment

Interstitial space integrity management
system utilising dipstick

Pump Bay Housing

Breather Vents supplied, with dust filter fitted
Dipstick, Dip Point and Cap provided

Security Doors and Locks

Statutory Signage applied

Designed and manufactured in accordance
with Underwriters Laboratories standard UL
142 (USA)

5 Year Warranty on Steel Structure of tanks
and 3 Year Warranty on paint

ISO9001 Certified Quality Management System
in place

Standard ISO Container footprint

Self-Bunded - no need to construct costly containment bund walls

Rapid Deployment versus conventional builds

Structure and Paint finish Warrantees

Multiple capacities to suit your requirements today and in the future

Single Project Management Team

Fabricated OFF YOUR SITE - LOWERS HSSE Risk

Modular - can be interconnected/disconnected as your needs change

Ensuring clean fuels - pump redundancy - custom flow rates