



# HYDRAULIC CUTTING ATTACHMENTS

AQ-4 Performance Data, Dimensions, and Weights



Recommended Excavator/Carrier Size Class:  
25-45 tons

Hydraulic Power:  
160HP (120kW)

See Back for Product Specifications.

[www.antraquip.net](http://www.antraquip.net)




+1 301.665.1165



[info@antraquip.net](mailto:info@antraquip.net)



758 BOWMAN AVENUE, HAGERSTOWN, MD 21740, USA



Quantity of cutter bits for standard drums: 48

The AQ-4 hydraulic cutter is one of Antraquip's most popular models as it is designed to operate on mid-size excavators and is capable of providing excellent production and versatility. This hydraulic cutter head is used in a variety of challenging applications such as tunneling, mining, trenching, demolition and many more.

### TRANSVERSE SPECIFICATIONS

### STANDARD

### METRIC

Cutting Head Diameter (B)

29 in

735 mm

Cutting Head Width (A)

40 in

1.015 mm

Displacement 1

70 RPM @ 58 GPM

70 RPM @ 219 L/MIN

Displacement 2

75 RPM @ 82 GPM

75 RPM @ 310 L/MIN

Oil Flow Range

50 - 85 GPM

190 - 320 L/MIN

Max Pressure

5,800 PSI

400 bar

Max Torque Output

21,590 ft lbs

29.274 Nm

Max Cutting Force

18,933 lbs

84.250 N

Weight

4,125 lbs

1.875 Kg

Maximum Input Power

160 HP

120 kW

Carrier Weight (Recommended)

25 - 45 tons

25 - 45 tons

Engine Power of Carrier (Recommended)

150 - 240 HP

110 - 180 kW

Please Note Hydraulic Power Rating Should Not Be Exceeded.

The AQ transverse cutting attachments are designed for rock and concrete cutting and can be mounted on excavators ranging from 1 - 180 ton.

Additional information on other AQ models are available at [www.antraquip.net](http://www.antraquip.net)



Please call your Local Representative, or our Hagerstown, USA Headquarter Office at +1 301.665.1165