



2020 MRT



interstate-tires.com



COMPANY INFORMATION

INTERSTATE TIRES is a proud brand of TBC Corporation. Originally designed for the European market, INTERSTATE has grown into a global brand with global brand with presence in over 50 countries worldwide. INTERSTATE offers a large and unique range of PCR and TBR tires. With European technology and Asian (Taiwan, Thailand and China) production, INTERSTATE has earned a reputation for high-quality and consistent supply.

For more than 60 years, TBC CORPORATION (TBC), one of North America's largest marketers of automotive replacement tires, has been a tire company ahead of the curve. Through world-wide operations spanning wholesale, retail, and franchise, TBC provides customers best-in-class brands and automotive repair services with the mission to exceed customer expectations. TBC supplies wholesale tire distributors and retail tire dealers in the United States, Canada and Mexico through TBC Brands, NTW and TBC de Mexico. TBC responds to the needs of consumers in search of total car care at more than 3,200 franchised and company-operated retail tire and automotive service centers under the "Tire Kingdom" and "National Tire & Battery" brands and franchised stores under "Midas" and "Big O Tires" brands.

TBC INTERNATIONAL is the wholesale sales division of TBC, serving countries outside North America.

PROGRAM

REGIONAL

INT200	Regional Steer/All-Position	4
INT255	Regional Steer/All-Position	5
INT430	Closed Shoulder Drive	6
INT530	Open Shoulder Drive	7
INT560	Open Shoulder Drive	8

MIXED SERVICE

INT861	Mixed Service All-Position	9
INT698	Mixed Service Drive	10
INT800	Mixed Service Drive	11
INT670	Wide Base Mixed Service	12

ON/OFF-ROAD

INT870	On/Off-Highway Drive	13
INT895	Mining Industrial	14

	REGIONAL					MIXED SERVICE				ON/OFF-ROAD	
	STR/AP	STR/AP	CSD	DRV A/S	OSD	AP	AP/WIDE	DRV	DRV	DRV	TRAC
SIZE:	INT200	INT255	INT430	INT530	INT560	INT861	INT670	INT698	INT800	INT870	INT895
7.00R16	G/14					G/14					
7.50R16						G/14					
9.5R17.5	J/18								J/18		
215/75R17.5	H/16								H/16		
235/75R17.5									H/16		
265/70R19.5		H/16									
11R22.5	H/16		H/16		H/16	H/16		H/16			H/16
12R22.5				J/18		J/18		J/18			J/18
255/70R22.5	H/16										
295/75R22.5		H/16									
295/80R22.5	J/18			J/18		J/18		J/18			
315/80R22.5						L/20				L/20	
425/65R22.5							L/20				
11R24.5		H/16	H/16		H/16	H/16					





INT200

STEER/ALL-POSITION

The interstate INT200 is a steer/all-position tire with deep original tread depth suitable for pick-up and delivery trucks. It utilizes a solid shoulder to increase durability in "high-scrub" conditions and is steel belted for strength and toughness.

Features & Benefits

- Wide, solid shoulders for increased durability and even wear
- Steel belted for additional strength and toughness
- Large circumferential grooves for water evacuation
- Ideal choice for cost-conscious truck drivers
- Retread reliability
- Low fuel consumption

Applications

- Pick-Up and Delivery Trucks
- Regional Trucks
- Regional Trailers
- Low Platform Trailers
- Tow Trucks
- Public Passenger Bus



Product Code	Tire Size	LR/PR	Type	Service Description	Rim (inch)	Tread Depth (mm)	Tread Depth (32nds)	Overall Diameter (mm)	Overall Diameter (inch)	Section Width (mm)	Section Width (inch)	Max Load Single/Dual (lbs)	PSI Single/Dual	Weight (kg)	Weight (lbs)
20001	7.00R16	G/14	TT	118/114L	5.50	11.5	15	779	30.7	200	7.9	2910/2600	110	24.67	54.28
20002	9.5R17.5	J/18	TL	143/141M	6.75	13.5	17	842	33.1	240	9.4	6005/5675	125	33.04	72.78
20003	11R22.5	H/16	TL	148/145M	8.25	15.0	19	1054	41.5	279	11.0	6944/6393	120	53.83	118.57
20004	215/75R17.5	H/16	TL	135/133J	6.00	13.0	16	767	30.2	211	8.3	4805/4540	125	25.63	56.45
20006	255/70R22.5	H/16	TL	140/137M	7.50	14.5	18	930	36.6	255	10.0	5510/5070	120	41.91	92.31
20007	295/80R22.5	J/18	TL	152/149M	9.00	15.0	19	1044	41.1	298	11.7	7830/7160	130	54.85	120.81





INT255

STEER/ALL-POSITION

The interstate INT255 is a steer/all-position tire with additional siping on the shoulders and center ribs to improve wet weather performance. It is suitable for pick-up and delivery trucks as well as other regional usage.

Features & Benefits

- Wide, solid shoulders for increased durability and even wear
- Steel belted for additional strength and toughness
- Stone defense features in center ribs to reduce damage from stone drilling
- Outstanding combination of durability and wet grip
- Retread reliability
- Low fuel consumption

Applications

- Pick-Up and Delivery Trucks
- Regional Trucks
- Regional Trailers
- Low Platform Trailers
- Tow Trucks



Product Code	Tire Size	LR/PR	Type	Service Description	Rim (inch)	Tread Depth (mm)	Tread Depth (32nds)	Overall Diameter (mm)	Overall Diameter (inch)	Section Width (mm)	Section Width (inch)	Max Load Single/Dual (lbs)	PSI Single/Dual	Weight (kg)	Weight (lbs)
25501	11R24.5	H/16	TL	149/146M	8.25	15.0	19	1104	43.5	279	11.0	7160/6610	120	58.18	128.15
25503	265/70R19.5	H/16	TL	140/138 M	7.50	13.5	17	867	34.1	262	10.3	5510/5205	110	38.30	84.36
25504	295/75R22.5	H/16	TL	146/143M	9.00	15.0	19	1014	39.9	298	11.7	6610/6005	120	52.75	116.19





INT430

CLOSED SHOULDER DRIVE

The Interstate INT430 is a closed shoulder drive tire suitable for line-haul applications. The closed-shoulder design provides even wear and increased durability, while the large tread blocks provide aggressive traction.

Features & Benefits

- Deep tread, closed-shoulder design for line-haul usage
- Stone ejector in tread void to reduce stone retention damage
- Siping on center lugs to increase wet-weather traction
- Tread design provides even wear
- Heavy-duty casing for strength, stability and multiple retreads

Applications

- Line-Haul Trucks
- Regional Trucks



Product Code	Tire Size	LR/PR	Type	Service Description	Rim (inch)	Tread Depth (mm)	Tread Depth (32nds)	Overall Diameter (mm)	Overall Diameter (inch)	Section Width (mm)	Section Width (inch)	Max Load Single/Dual (lbs)	PSI Single/Dual	Weight (kg)	Weight (lbs)
43001	11R22.5	H/16	TL	148/145M	8.25	22.0	28	1054	41.5	279	11.0	6944/6393	120	58.74	129.38
43002	11R24.5	H/16	TL	149/146M	8.25	22.0	28	1104	43.5	279	11.0	7160/6610	120	62.74	138.19





INT530

OPEN SHOULDER DRIVE

The Interstate INT530 is an open shoulder drive tire with additional siping to provide all-season traction. It is suitable for line-haul and regional trucks where additional all-season traction is needed when used on the drive axle.

Features & Benefits

- Additional siping throughout for traction in all conditions
- Interlocking sipes provide additional tread block rigidity
- Open-shoulder design provides additional biting edges when on soft surfaces
- Special cut, chip and tear-resistant tread compound for longer wear and excellent performance
- Resistant-duty casing construction boosts durability in tough applications

Applications

- Line-Haul Trucks
- Regional Trucks
- Pick-Up and Delivery Trucks



Product Code	Tire Size	LR/PR	Type	Service Description	Rim (inch)	Tread Depth (mm)	Tread Depth (32nds)	Overall Diameter (mm)	Overall Diameter (inch)	Section Width (mm)	Section Width (inch)	Max Load Single/Dual (lbs)	PSI Single/Dual	Weight (kg)	Weight (lbs)
53001	12R22.5	J/18	TL	152/149L	9.00	22.0	28	1085	42.7	300	11.8	7830/7160	135	66.20	145.81
53002	295/80R22.5	J/18	TL	152/149M	9.00	20.0	25	1044	41.1	298	11.7	7830/7160	130	59.28	130.57





INT560

OPEN SHOULDER DRIVE

The Interstate INT560 is an open-shoulder drive tire designed for regional usage. The open tread pattern improves self-cleaning and provides additional traction, while steel-belted construction provide strength and durability.

Features & Benefits

- Aggressive, open-shoulder design for additional traction
- Siping on center lugs for increased wet-weather traction
- Wide tread face improves weight distribution
- Tread design provides excellent wet and dry traction
- Deep, original tread depth promotes long tire life

Applications

- Line-Haul Trucks
- Regional Trucks
- Off-Road Heavy Load



Product Code	Tire Size	LR/PR	Type	Service Description	Rim (inch)	Tread Depth (mm)	Tread Depth (32nds)	Overall Diameter (mm)	Overall Diameter (inch)	Section Width (mm)	Section Width (inch)	Max Load Single/Dual (lbs)	PSI Single/Dual	Weight (kg)	Weight (lbs)
56001	11R22.5	H/16	TL	148/145 M	8.25	22.0	28	1054	41.5	279	11.0	6944/6393	120	59.17	130.33
56002	11R24.5	H/16	TL	149/146M	8.25	22.0	28	1104	43.5	279	11.0	7160/6610	120	64.18	141.37





INT861

MIXED SERVICE ALL-POSITION

The Interstate INT861 is a mixed service tire suitable for on/off-road applications. Biting shoulders increase traction, while the cut and chip-resistant tread compound increases casing durability.

Features & Benefits

- Cut and chip-resistant tread compound for on/off-road applications
- Steel belted for tread stability and casing durability
- Shoulder design for increased traction
- Tread design provides traction and vehicle stability

Applications

- Light-Duty Trucks
- Mix Concrete Trucks
- Dump Trucks
- Refuse Trucks
- Pick-Up and Delivery Trucks



Product Code	Tire Size	LR/PR	Type	Service Description	Rim (inch)	Tread Depth (mm)	Tread Depth (32nds)	Overall Diameter (mm)	Overall Diameter (inch)	Section Width (mm)	Section Width (inch)	Max Load Single/Dual (lbs)	PSI Single/Dual	Weight (kg)	Weight (lbs)
86101	7.00R16	G/14	TT	118/114L	5.50	12.0	15	775	30.5	200	7.9	2910/2600	110	24.67	54.34
86102	7.50R16LT	G/14	TT	122/118L	6.00	11.0	14	805	31.7	215	8.5	3305/2910	110	26.13	57.56
86103	11R22.5	H/16	TL	148/145M	8.25	16.0	20	1054	41.5	279	11.0	6944/6393	120	53.81	118.52
86104	12R22.5	J/18	TL	152/149L	9.00	16.5	21	1085	42.7	300	11.8	7830/7160	135	61.54	135.55
86105	315/80R22.5	L/20	TL	156/150L	9.00	15.0	19	1076	42.4	312	12.3	8820/7390	125	60.38	133.00
86106	295/80R22.5	J/18	TL	152/149L	9.00	15.5	20	1033	40.7	300	11.8	7830/7160	130	54.85	120.67
86107	11R24.5	H/16	TL	149/146M	8.25	16.0	20	1094	43.1	286	11.3	7160/6610	120	58.14	127.91





INT698

MIXED SERVICE DRIVE

The Interstate INT698 is a mixed service drive tire suitable for use in on/off-highway applications where additional grip is needed.

Features & Benefits

- Extra-deep tread for long life and traction
- Cut and chip-resistant compound for increased durability
- Stone ejectors in tread voids to reduce damage from stone drilling
- Innovative, open-shoulder tread design enhances traction in multiple applications
- Tread depth promotes long, original tread life

Applications

- Mix Concrete Trucks
- Dump Trucks
- Refuse Trucks
- Off-Road Heavy Load



Product Code	Tire Size	LR/PR	Type	Service Description	Rim (inch)	Tread Depth (mm)	Tread Depth (32nds)	Overall Diameter (mm)	Overall Diameter (inch)	Section Width (mm)	Section Width (inch)	Max Load Single/Dual (lbs)	PSI Single/Dual	Weight (kg)	Weight (lbs)
69801	11R22.5	H/16	TL	148/145J	8.25	21.0	27	1054	41.5	279	11.0	6944/6393	120	58.60	129.07
69802	12R22.5	J/18	TL	152/149L	9.00	19.0	24	1089	42.9	298	11.7	7830/7160	135	63.92	140.62
69803	295/80R22.5	J/18	TL	152/149L	9.00	21.0	27	1046	41.2	300	11.8	7830/7160	130	59.28	130.42





INT800

MIXED SERVICE DRIVE

The Interstate INT800 is a mixed service drive tire suitable for use in on/off-highway regional applications where additional grip is needed.

Features & Benefits

- Enhanced siping in center tread blocks to increase wet traction and deliver confident grip
- Cut and chip-resistant compound for increased durability
- Stone ejectors in tread voids to reduce damage from stone drilling
- Innovative, open-shoulder tread design enhances traction and fights irregular wear

Applications

- Pick-Up and Delivery Trucks
- Regional Trucks
- Industrial Construction



Product Code	Tire Size	LR/PR	Type	Service Description	Rim (inch)	Tread Depth (mm)	Tread Depth (32nds)	Overall Diameter (mm)	Overall Diameter (inch)	Section Width (mm)	Section Width (inch)	Max Load Single/Dual (lbs)	PSI Single/Dual	Weight (kg)	Weight (lbs)
80001	9.5R17.5	J/18	TL	143/141M	6.75	14.5	18	842	33.1	240	9.4	6005/5675	125	33.50	73.79
80002	215/75R17.5	H/16	TL	135/133J	6.00	14.5	18	767	30.2	211	8.3	4805/4540	125	26.33	58.00
80003	235/75R17.5	H/16	TL	143/141J	6.75	14.0	18	803	31.6	233	9.2	6005/5675	125	29.52	65.02





INT670

WIDE BASE STEER/ALL-POSITION

The Interstate INT670 is a wide base steer/all-position suitable for use on concrete and dump trucks, as well as refuse trucks.

Features & Benefits

- Interlocking tread design for increased stability
- Solid shoulder for increased wear in high-scrub applications
- 5-Rib design for free-rolling applications
- Durable casing promotes long, original tread life and allows for multiple retreads
- Tread pattern and heavy ply rating deliver excellent performance in free-rolling applications

Applications

- Mix Concrete Trucks
- Dump Trucks
- Refuse Trucks
- Regional Trucks and Trailer (heavy loads)



Product Code	Tire Size	LR/PR	Type	Service Description	Rim (inch)	Tread Depth (mm)	Tread Depth (32nds)	Overall Diameter (mm)	Overall Diameter (inch)	Section Width (mm)	Section Width (inch)	Max Load Single/Dual (lbs)	PSI Single/Dual	Weight (kg)	Weight (lbs)
67001	425/65R22.5	L/20	TL	164J	12.25	18.0	23	1124	44.3	422	16.6	11000	120	84.61	186.37





INT870

ON/OFF-HIGHWAY DRIVE

The Interstate INT870 is an On/Off-highway Drive tire suitable for use on concrete, dump, refuse and industrial vehicles.

Features & Benefits

- Aggressive tread design with deep, original depth for long life
- Stone ejectors for increased durability and reduced stone retention
- Siping on all lugs for increased traction in wet environments
- Large tread elements improve handling and traction
- Heavy-duty belt package and undertread increase durability, uniform wear and stability

Applications

- Mix Concrete Trucks
- Dump Trucks
- Refuse Trucks
- Industrial Construction



Product Code	Tire Size	LR/PR	Type	Service Description	Rim (inch)	Tread Depth (mm)	Tread Depth (32nds)	Overall Diameter (mm)	Overall Diameter (inch)	Section Width (mm)	Section Width (inch)	Max Load Single/Dual (lbs)	PSI Single/Dual	Weight (kg)	Weight (lbs)
87001	315/80R22.5	L/20	TL	156/150K	9.00	22.0	28	1076	42.4	312	12.3	8820/7390	125	68.34	150.53





INT895

MINE AND CONSTRUCTION

The Interstate INT895 is an on/off-road traction tire suitable for use in mining and construction where traction and durability are required.

Features & Benefits

- Deep tread depth for long life and improved traction
- Aggressive lug design for demanding conditions
- Cut and chip-resistant compound for increased durability
- Heavy-duty belt package increase durability

Applications

- Logging Trucks
- Mining Trucks
- Industrial Construction



Product Code	Tire Size	LR/PR	Type	Service Description	Rim (inch)	Tread Depth (mm)	Tread Depth (32nds)	Overall Diameter (mm)	Overall Diameter (inch)	Section Width (mm)	Section Width (inch)	Max Load Single/Dual (lbs)	PSI Single/Dual	Weight (kg)	Weight (lbs)
89501	11R22.5	H/16	TL	148/145J	8.25	22.0	28	1054	41.5	279	11.0	6944/6393	120	59.83	131.78
89502	12R22.5	J/18	TL	152/149J	9.00	22.0	28	1096	43.1	298	11.7	7830/7160	135	65.00	143.00



NOTES

[illegible]



interstate-tires.com