



### MARKET LEADER

- High performance ultra quiet rotation.
- Used for reliability, ultra high traffic flow, virtually no maintenance.
- Exported worldwide.

# **APPLICATIONS:**

Retail to control pedestrian flow in and out of stores.

# **DESIGNED FOR:**

Interior or exterior applications.

# **AVAILABLE CONFIGURATIONS:**

- Single and Double.
- Clockwise or anti-clockwise rotation.

## **SPECIAL DESIGN FEATURES:**

- User friendly one way rotation, not electrical controlled, mechanical only.
- Stainless Steel arms and frame.

## **AVAILABLE OPTIONS:**

### Side Screen:

- The side screen is designed to restrict pedestrians form bypassing the turnstile.
- Screens are available in same material as the turnstile.

### **Bypass Gate:**


A bypass gate can be made to match the turnstile material for access shopping trolleys.




# TWISTER® SHOPPING WAIST HEIGHT TURNSTILES





### SINGLE SHOPPING WAIST HEIGHT TURNSTILE WITH SIDE SCREEN





### **DOUBLE SHOPPING WAIST HEIGHT TURNSTILE**





# SINGLE SHOPPING WAIST HEIGHT TURNSTILE WITH SIDE SCREEN

### **DOUBLE SHOPPING WAIST HEIGHT TURNSTILE**





# SINGLE SHOPPING WAIST HEIGHT TURNSTILE WITH SIDE SCREEN

### **DOUBLE SHOPPING WAIST HEIGHT TURNSTILE**

Α	Turnstile Arm Height	<i>7</i> 86mm	Turnstile Arm Height	<i>7</i> 86mm
В	Overall Height	882mm	Overall Height	882mm
С	Required Opening Width	848mm	Required Opening Width	1300mm
D	Turnstile Width	724mm		

Due to continuous improvement, products and design are subject to change without notice.

