

RECEIPE – HTML/CSS EXAMPLE

CSS CODE

```
img
{height: 150px;}
.description
{font-size: 20px;}
#cook-time{font-weight: bold;}
.ingredients li {list-style: square}
.time {color: gray;}
.external-link {color: SeaGreen}
h1, h2, p, li {font-family: helvetica;}
```

HTML CODE

```
<!DOCTYPE html>
<html>

<head>
  <title>Quinoa and Kale Salad Recipe</title>
  <link href="style.css" type="text/css" rel="stylesheet">
</head>

<body>

  
  <h1>Kale Caesar Quinoa Salad with Roasted Chicken</h1>
  <p class="description">Kale and quinoa provide a healthy base for roasted chicken
topped with a light Caesar sauce.</p>

  <p id="cook-time">Total time: 45 minutes</p>

  <h2>Ingredients</h2>
  <ul class="ingredients">
    <li>1/4 cup kale</li>
```

```
<li>1 cup Quinoa</li>
<li>2 tbsp Olive Oil</li>
<li>1 chicken breast</li>
<li>Caesar Dressing</li>
</ul>

<h2>Preparation</h2>
<ol>
  <li>
    <p>Prepare quinoa and roast chicken until golden brown and 165 in middle.</p>
    <p class="time">Time: 40 minutes</p>
  </li>
  <li>
    <p>Toss quinoa, chicken, kale, and Caesar dressing until coated.</p>
    <p class="time">Time: 4 minutes</p>
  </li>
  <li>
    <p>Add walnuts and olive oil as garnish.</p>
    <p class="time">Time: 1 minute</p>
  </li>
</ol>

<p class="citation">Find this recipe and more <a
href="http://www.myrecipes.com/recipe/kale-caesar-salad-chicken" target="_blank"
class="external-link">here</a>.</p>

</body>

</html>
```

FINISHED PRODUCT



Kale Caesar Quinoa Salad with Roasted Chicken

Kale and quinoa provide a healthy base for roasted chicken topped with a light Caesar sauce.

Total time: 45 minutes

Ingredients

- 1/4 cup kale
- 1 cup Quinoa
- 2 tbsp Olive Oil
- 1 chicken breast
- Caesar Dressing

Preparation

1. Prepare quinoa and roast chicken until golden brown and 165 in middle.

Time: 40 minutes

2. Toss quinoa, chicken, kale, and Caesar dressing until coated.

Time: 4 minutes

3. Add walnuts and olive oil as garnish.

Time: 1 minute

Find this recipe and more [here](#).