



SAF TRAILOR

TAPER ROLLER BEARINGS

MODELS	08/05	EBN,01/84	ES, 03/94
<u>RBM, 01/84</u>	<u>RLBM, 01/82</u>	<u>RLSM, 01/82</u>	<u>RS</u>
<u>SKRB</u>	<u>SKRLB</u>	<u>SKRLS, 03/95</u>	<u>SKRLZ, 02/98</u>
<u>WRLZM, 08/83</u>	<u>WRZM, 01/84</u>	<u>WZRLZM, 08/83</u>	<u>Z, 08/05</u>
<u>ESN, 01/84</u>	<u>EZN, 12/87</u>	<u>KRS, 02/98</u>	<u>KRZ, 08/95</u>
<u>RSM, 01/84</u>	<u>RZM, 01/84</u>	<u>RZT, 01/84</u>	<u>S, 08/05</u>
<u>SKRS, 12/92</u>	<u>SKRZ, 03/95</u>	<u>SKRZT, 02/98</u>	<u>SKZRLZ, 02/98</u>
<u>KRZT, 08/95</u>	<u>SK, 02/98</u>	<u>WESN</u>	

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER	
	INSIDE	OUTSIDE	WIDTH	04200101000	04 200 1010 00
32924	120	165	30.2	4200101000	4 200 1010 00

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER	
	INSIDE	OUTSIDE	WIDTH	04200001100	04 200 0011 00
30307	35	80	23	4200001100	4 200 0011 00

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER	
	INSIDE	OUTSIDE	WIDTH	04200001200	04 200 0012 00
30309	45	100	27.5	4200001200	4 200 0012 00

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER	
	INSIDE	OUTSIDE	WIDTH	04200001300	04 200 0013 00
30310	50	110	30	4200001300	4 200 0013 00

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER	
	INSIDE	OUTSIDE	WIDTH	04200001400	04 200 0014 00
30311	55	120	32.4	4200001400	4 200 0014 00

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER	
	INSIDE	OUTSIDE	WIDTH	04200001500	04 200 0015 00
30312	60	130	34.8	4200001500	4 200 0015 00

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER	
	INSIDE	OUTSIDE	WIDTH	04200001600	04 200 0016 00
30313	65	140	36.7	4200001600	4 200 0016 00

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER	
	INSIDE	OUTSIDE	WIDTH	04 200 0023 00	04200002300
32213	65	120	34.7	4200002300	4 200 0023 00

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER	
	INSIDE	OUTSIDE	WIDTH	04 200 0028 00	4 200 0028 00
32221	105	190	54.9	04200002800	4200002800

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER	
	INSIDE	OUTSIDE	WIDTH	04 200 0026 00	4 200 0026 00
32219	95	170	47	04200002600	4200002600

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER	
	INSIDE	OUTSIDE	WIDTH	04 200 0055 00	4 200 0055 00
33113	65	110	36.5	04200005500	4200005500

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER	
	INSIDE	OUTSIDE	WIDTH	04 200 1009 00	4 200 1009 00
33118	90	150	45	04200100900	4200100900

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER	
	INSIDE	OUTSIDE	WIDTH	04 200 0028 00	4 200 0028 00
32221	105	190	54.9	04200002800	4200002800

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH	04 200 0057 00	4 200 0057 00	
33207	35	72	29.2	04200005700	4200005700	

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH	04 200 0063 00	4 200 0063 00	
33209	45	85	32.9	04200006300	4200006300	

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH	04 200 0058 00	4 200 0058 00	
33211	55	100	37.55	04200005800	4200005800	

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH	04 200 0064 00	4 200 0064 00	
33212	60	110	39.5	04200006400	4200006400	

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH	04 200 0060 00	4 200 0060 00	
33213	65	120	41	04200006000	4200006000	

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH	04 200 0070 00	4 200 0070 00	
33215	75	130	43.3	04200007000	4200007000	


BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH	04 200 0033 00	4 200 0033 00	
32312	60	130	48.5	04200003300	4200003300	


BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH	04 200 0034 00	4 200 0034 00	
32314	70	150	54	04200003400	4200003400	


BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH	04 200 0034 00	4 200 0034 00	
32314	70	150	54	04200003400	4200003400	


BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH	04 200 1006 00	4 200 1006 00	
218248/218210	90	147	42.1	04200100600	4200100600	


BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH	04 200 1007 00	4 200 1007 00	
215249/215210	76	132	40.09	4200100700	4200100700	


BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH	03 307 3007 00	3 307 3007 00	04 200 1017 00
450.129	100	148	141	03307300700	3307300700	04200101700
FAG NO-566847.H195						
REPAIR INSERT UNIT				03 307 3008 01	3 307 3008 01	4 200 1017 00
				03307300801	3307300801	4200101700
				03 307 3010 00	3 307 3010 00	04 200 1017 01
				03307301000	3307301000	04200101701
				03 307 3013 00	3 307 3013 00	4 200 1017 01
				03307301300	3307301300	4200101701
				03 434 3011 00	3 434 3011 00	03434301100
CONTENT-2PCS+ORING+INNER LOCKNING						

BEARING NUMBER 560.030	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH			
FAG NO-800525	100	148	141	03 307 3007 00	3 307 3007 00	04 200 1017 00
INSERT UNIT				03 307 3008 01	3 307 3008 01	4 200 1017 00
				03307300801	3307300801	4200101700
				03 307 3010 00	3 307 3010 00	04 200 1017 01
				03307301000	3307301000	04200101701
				03 307 3013 00	3 307 3013 00	4 200 1017 01
				03307301300	3307301300	4200101701
				03 434 3011 00	3 434 3011 00	03434301100
				3434301100		
CONTENT-2PCS+ORING+INNER LOCKNING+OIL SEAL(OPTIONAL)						

BEARING NUMBER 560.031	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH			
FAG NO-569868.H195	82	138	110	03 307 3030 00	3 307 3030 00	04 200 1019 00
REPAIR INSERT UNIT				03 307 3030 01	3 307 3030 01	4 200 1019 00
				03307303001	3307303001	4200101900
				03 434 3018 00	3 434 3018 00	ABS OPTIONAL
				03434301800	3434301800	
CONTENT-2PCS+ORING+INNER LOCKNING						

BEARING NUMBER 400.013	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH			
FAG NO-805415	82	138	110	03 307 3030 00	3 307 3030 00	04 200 1019 00
INSERT UNIT				03 307 3030 01	3 307 3030 01	4 200 1019 00
				03307303001	3307303001	4200101900
				03 434 3018 00	3 434 3018 00	ABS OPTIONAL
				03434301800	3434301800	
CONTENT-2PCS+ORING+INNER LOCKNING+OIL SEAL(OPTIONAL)+ABS(OPTIONAL)						


BEARING NUMBER 450.045	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH			
FAG NO-566830.H195	120	175	123	03 307 3006 00	3 307 3006 00	04 200 1016 01
REPAIR INSERT UNIT				03 307 3012 00	3 307 3012 00	4 200 1016 01
				03307301200	3307301200	4200101601
				03 307 3015 00	3 307 3015 00	04 200 1016 02
				03307301500	3307301500	04200101602
				03 434 3010 00	3 434 3010 00	4 200 1016 02
				03434301000	3434301000	4200101602
				03 434 3012 00	3 434 3012 00	
				03434301200	3434301200	
CONTENT-2PCS+ORING+INNER LOCKNING						


BEARING NUMBER 450.012	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH			
FAG NO-803904	120	175	123	03 307 3006 00	3 307 3006 00	04 200 1016 01
INSERT UNIT				03 307 3012 00	3 307 3012 00	4 200 1016 01
				03307301200	3307301200	4200101601
				03 307 3015 00	3 307 3015 00	04 200 1016 02
				03307301500	3307301500	04200101602
				03 434 3010 00	3 434 3010 00	4 200 1016 02
				03434301000	3434301000	4200101602
				03 434 3012 00	3 434 3012 00	
				03434301200	3434301200	
CONTENT-2PCS+ORING+INNER LOCKNING+OIL SEAL(OPTIONAL)						


BEARING NUMBER 450.037	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH	03 200 1020 00	3 200 1020 00	03 307 3046 00
FAG NO-570530.H195	88	138	120	03200102000	3200102000	03307304600
REPAIR INSERT UNIT				03 307 3043 00	3 307 3043 00	3 307 3046 00
				03307304300	3307304300	3307304600
				03307304300	3307304300	3307304600
				03307304301	3307304301	03307304700
				03 307 3044 00	3 307 3044 00	3 307 3047 00
				03307304400	3307304400	3307304700
				03 307 3045 00	3 307 3045 00	03 307 3050 00
				03307304500	3307304500	03307305000
				03 307 3048 00	3 307 3048 00	3 307 3050 00
				03307304800	3307304800	3307305000
				03 307 3049 00	3 307 3049 00	03 307 3052 00
				03307304900	3307304900	03307305200
				03 307 3051 00	3 307 3051 00	3 307 3052 00
				03307305100	3307305100	3307305200
				03 307 3055 00	3 307 3055 00	03 307 3057 00
				03307305500	3307305500	03307305700
				03 307 3056 00	3 307 3056 00	3 307 3057 00
				03307305600	3307305600	3307305700
				03 307 3059 00	3 307 3059 00	03 434 3019 00
				03307305900	3307305900	03434301900
				03 307 3060 00	3 307 3060 00	3 434 3019 00
03307306000	3307306000	3434301900				
03 434 3020 00	3 434 3020 00	03 434 3022 00				
03434302000	3434302000	03434302200				
03 434 3021 00	3 434 3021 00	3 434 3022 00				
03434302100	3434302100	3434302200				
04200102000	03434402100	03 434 3025 00	3 434 3025 00	03 434 4020 01		
04 200 1020 00	03 434 4021 00	03434302500	3434302500	03434402001		
4200102000	3434402100	03 434 4019 00	3 434 4019 00	3 434 4020 01		
4 200 1020 00	3 434 4021 00	03434401900	3434401900	3434402001		
CONTENT-2PCS+ORING+INNER LOCKNING						

BEARING NUMBER 450.036	DIMENSION (MM)			SAF OE NUMBER		
	INSIDE	OUTSIDE	WIDTH	03 200 1020 00	3 200 1020 00	03 307 3046 00
FAG NO-808918	88	138	120	03200102000	3200102000	03307304600
INSERT UNIT				03 307 3043 00	3 307 3043 00	3 307 3046 00
 				03307304300	3307304300	3307304600
				03307304300	3307304300	3307304600
				03307304301	3307304301	03307304700
				03 307 3044 00	3 307 3044 00	3 307 3047 00
				03307304400	3307304400	3307304700
				03 307 3045 00	3 307 3045 00	03 307 3050 00
				03307304500	3307304500	03307305000
				03 307 3048 00	3 307 3048 00	3 307 3050 00
				03307304800	3307304800	3307305000
				03 307 3049 00	3 307 3049 00	03 307 3052 00
				03307304900	3307304900	03307305200
				03 307 3051 00	3 307 3051 00	3 307 3052 00
				03307305100	3307305100	3307305200
				03 307 3055 00	3 307 3055 00	03 307 3057 00
				03307305500	3307305500	03307305700
				03 307 3056 00	3 307 3056 00	3 307 3057 00
				03307305600	3307305600	3307305700
				03 307 3059 00	3 307 3059 00	03 434 3019 00
				03307305900	3307305900	03434301900
				03 307 3060 00	3 307 3060 00	3 434 3019 00
03307306000	3307306000	3434301900				
03 434 3020 00	3 434 3020 00	03 434 3022 00				
03434302000	3434302000	03434302200				
03 434 3021 00	3 434 3021 00	3 434 3022 00				
03434302100	3434302100	3434302200				

04200102000	03434402100	03 434 3025 00	3 434 3025 00	03 434 4020 01
04 200 1020 00	03 434 4021 00	03434302500	3434302500	03434402001
4200102000	3434402100	03 434 4019 00	3 434 4019 00	3 434 4020 01
4 200 1020 00	3 434 4021 00	03434401900	3434401900	3434402001
CONTENT-2PCS+ORING+INNER LOCKNING+OIL SEAL(OPTIONAL)+ABS(OPTIONAL)				

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER	
	INSIDE	OUTSIDE	WIDTH		
400.014					
FAG NO-800308	120	165	123	4200101500	
579065D/800308.M44	INSERT UNIT				
					
CONTENT-2PCS+ORING+INNER LOCKNING+OIL SEAL(OPTIONAL)					

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER	
	INSIDE	OUTSIDE	WIDTH		
450.021				03 200 2001 51	3 200 2001 51
FAG NO 564734.H195	82	196	113	03200200151	3200200151
	HUB UNIT			03 434 3650 00	3 434 3650 00
					
				03434365000	3434365000
				04 200 2001 00	4 200 2001 00
				04200200100	4200200100
				04 200 2001 01	4 200 2001 01
				04200200101	4200200101
CONTENT-ONE COMPLETE HUB ASSEMBLY/ ONE ORING/12 BOLT(OPTIONAL)					

BEARING NUMBER	DIMENSION (MM)			SAF OE NUMBER	
	INSIDE	OUTSIDE	WIDTH		
450.021A				03 200 2001 51	3 200 2001 51
SKF NO VKBA5549	82	196	113	03200200151	3200200151
BTF056	HUB UNIT			03 434 3650 00	3 434 3650 00
					
				03434365000	3434365000
				04 200 2001 00	4 200 2001 00
				04200200100	4200200100
				04 200 2001 01	4 200 2001 01
				04200200101	4200200101
CONTENT-ONE COMPLETE HUB ASSEMBLY/ ONE ORING/12 BOLT(OPTIONAL)					