




Name	Latin Name	Origin
Myrrh	Commiphora Myrrha	Somalia
Material Type	Benchmark price per 15ml	Botanical Family
Essential Oils	\$75	
Part of plant	Safety note	Conservation Status
Resin/Gum	Non-toxic, non-irritating. contraindicated for pregnancy and breastfeeding, due to its α -Elemene content, which may be fetotoxic	No status of concern Not listed with a conservation status.
Profile	Therapeutic Properties	
• Sesquiterpene rich	<ul style="list-style-type: none"> • Analgesic • Antimicrobial • Anti-inflammatory • Antioxidant • Astringent • Skin cell regenerative • Cold and flu • Reduce tension, congestion and muscle pains • Skin nourishing • Helps maintain healthy skin integrity and relieve painful swollen areas • Provides lung support for healthy respiration • Assist in relieving painful periods by helping to stimulate overall uterine health • Emotionally myrrh essential oil calms the mind and ushers in a sense of tranquility. It can bring inner stillness and help one reconnect to physical surroundings and one's spiritual center. Myrrh essential oil can help with overthinking and stabilize a distracted mind. 	
Synergy	Energetics	
	<p>Energetics Provides the courage needed to examine and facilitate a deep questioning process offering the wisdom needed to forgive & let go of the wounds that no longer serve us allowing the spiritual gifts to rise.</p> <p>Energy Neutral to Warm.</p> <p>Five Element Affinity Water, Earth, Metal</p>	

References

- . (Warner, 2018, p. 137) (Mojay, 1997, p. 98)
(Holmes, 2019, p. 303)

Scent Notes	Psychological rankings	Physical rankings	
Base	Meditative	3 Muscular/Skeletal Respiratory Skin	1 2 3
Ingredient notes			

**Chemical families**

sesquiterpenes	92.02%
ketones	1.14%
sesquiterpenols	1.05%
esters	0.73%
monoterpenes	0.16%
monoterpenols	0.16%

Complete chemical breakdown**sesquiterpenes**

furanoeudesmadiene	35.09%
curzerene	27.05%
lindeatrene	10.72%
acetyl-8,12-epoxygermacra-1,4-7-11-tetraene	5.67%
b-elemene	4.39%
germacrene b	0.94%
germacrene d	0.94%
t-cadinol	0.86%
d-elemene	0.83%
a-selinene	0.77%
germacrene a	0.73%

ketones

cis-b-elemenone	1.14%
-----------------	-------

furanoedsmadiene isomer mw=216 0.64%

α-muurolene	0.43%
β-selinene	0.43%
β-caryophyllene	0.4%
γ-cadinene	0.36%
β-bourbonene	0.31%
δ-cadinene	0.25%
α-humulene	0.24%
α-bisabolene	0.22%
ϵ-cadinene	0.22%
γ-muurolene	0.21%
α-santalene	0.19%
γ-selinene	0.13%

sesquiterpenols

unidentified sesquiterpenol	0.39%
isopathulenol	0.33%
muurolol	0.18%
cadinol	0.15%

monoterpenes

γ-terpinene	0.16%
--------------------------------------	--------------

esters

curzerenic ester mw=274	0.73%
--------------------------------	--------------

monoterpenols

γ-terpineol	0.16%
--------------------------------------	--------------