

HP LaserJet Enterprise M607 series



This HP LaserJet with JetIntelligence combines performance, energy efficiency, and security.¹

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.¹



HP LaserJet Enterprise M607n



HP LaserJet Enterprise M607dn

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.²
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This printer wakes up fast and prints your first page faster—in as quickly as 7.8 seconds.⁴
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.⁵
- Paper handling options include a 550-sheet input feeder for paper sizes A6 to legal.

More. Pages, Performance, and Protection.⁶

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.⁶
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁷

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims> ² HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin> ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. ⁵ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see <http://www.hp.com/go/ljclaims>

HP LaserJet Enterprise M607dn

Product walkaround

1. Hardware Integration Pocket³
2. 2.7-inch (6.9 cm) color graphics display with keypad
3. Easy-access USB port
4. 100-sheet multipurpose tray 1
5. Front door access to toner cartridges
6. 550-sheet input tray 2
7. 500-sheet output bin
8. Automatic two-sided printing
9. Host USB port
10. Host USB port
11. Gigabit Ethernet network port
12. Hi-Speed USB 2.0 printing port



Front view

Close-up of I/O ports

Series at a glance



HP LaserJet Enterprise M607n



HP LaserJet Enterprise M607dn

Model	HP LaserJet Enterprise M607n	HP LaserJet Enterprise M607dn
Part number	KOQ14A	KOQ15A
Print speeds (letter/A4) ²	Up to 55/52 pages per minute (ppm)	Up to 55/52 ppm
Control panel	2.7-inch (6.9 cm) LCD with keypad	2.7-inch (6.9 cm) LCD with keypad
Automatic two-sided printing	Not available	✓
Hardware Integration Pocket ³	Not available	✓
100-sheet tray 1, 550-sheet tray 2	✓	✓
550-sheet paper feeder ⁴	Optional (up to four)	Optional (up to four)
2,100-sheet paper feeder ⁴	Optional	Optional
Envelope feeder	Optional (up to two)	Optional (up to two)
Printer stand	Optional	Optional
5-bin stapler/stacker/mailbox with job offset	Optional	Optional
Direct mobile printing	Optional wireless direct ⁵ /NFC ⁶	Optional wireless direct ⁵ /NFC ⁶
Wireless networking	Optional ⁷	Optional ⁷
HP High-Performance Secure Hard Disk	Optional	Optional

¹An administrator must enable the easy-access USB port before use. ²Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ³Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. HIP not available on the HP LaserJet Enterprise M607n and M608n. ⁴All models come standard with the 100-sheet multipurpose tray and 550-sheet tray 2. The HP LaserJet Enterprise M608x and M609x models come with one additional 550-sheet paper feeder standard, and can add up to three additional optional 550-sheet paper feeders and the optional 2,100-sheet paper feeder. The M607n, M607dn, M608n, M608dn, and M609dn models can add up to four additional 550-sheet paper feeders and the optional 2,100-sheet paper feeder. ⁵Wi-Fi Direct printing is embedded in the HP LaserJet Enterprise M608x and M609x models. All other models can add wireless direct with the purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct[®] supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance[®]. ⁶Touch-to-print capability is optional for all models (except M608x and M609x) with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting. ⁷All models can add wireless networking with the purchase of the optional HP Jetdirect 2900w Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ⁸Bluetooth Low Energy is standard only on the HP LaserJet Enterprise M608x and M609x models, and it cannot be added to other models. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Next Business Day Exchange:

Ships a permanent replacement unit overnight via premium airfreight, if hardware issue cannot be resolved remotely. Shipping charges are prepaid by HP.

Same Day Onsite – 4 hour 9x5 and 13x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

For carepack availability visit: hp.com/go/cpc

Top features

Only HP Enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.¹

With speeds up to 55 pages per minute,³ fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Accessories

L0H17A - HP LaserJet 550-Sheet Paper feeder
 L0H18A - HP LaserJet 2100 sheet Paper feeder
 L0H19A - HP LaserJet Printer Stand
 L0H20A - HP LaserJet Stapler/Stacker/ Mailbox
 L0H21A - HP Envelope Feeder
 B5L28A - HP Internal USB Ports
 B5L29A - HP Secure High Perf Hard Disk Drive
 J8031A - HP Jetdirect 2900nw Print Server
 F5S62A - HP Trusted Platform Module Accessory
 G6W84A - 1 GB Memory DIMM Kit
 L0H22A - HP Extension Tray Cover

Supplies

J8J96A - HP Staple Cartridge Refill,
 L0H24A - HP LaserJet 110v Maintenance Kit
 L0H25A - HP LaserJet 220v Maintenance Kit
 CF237A - HP 37A Black Original LaserJet Toner Cartridge (11,000 yield)

Services

U9MU2E - HP 5 year Next Business Day HW Support w/Defective Media Retention
 U9MU5E - HP 5 year 4 hour 9x5 HW Support w/Defective Media Retention
 U9MU8E - HP 5 year 4 hour 13x5 HW Support w/Defective Media Retention
 U9MV1E - HP 5 year Next Business Day Call To Repair HW Support w/DMR
 U9MV4E - HP 5 year Next Business Day Exchange Service
 U9MV7E - HP 5 year Next Business Day Exchange Service
 U9MW5PE - HP 2 year Post Warranty Next Business Day Hardware Support w/DMR
 U9MW7PE - HP 2 year Post Warranty 4 hour 9x5 Hardware Support w/DMR
 U9MW8PE - HP 1 year Post Warranty 4 hour 13x5 Hardware Support w/DMR
 U9MX0PE - HP 2 yr Post Warranty Next Business Day Call To Repair HW Support w/DMR
 U9MX1PE - HP 1 year Post Warranty Next Business Day Exchange Service



¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printerssecurityclaims>. ² HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>. ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. ⁵ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see <http://www.hp.com/go/ljclaims>

HP LaserJet Enterprise M607 series

Technical Specifications	HP LaserJet Enterprise M607n (K0Q14A)	HP LaserJet Enterprise M607dn (K0Q15A)
Print speed	Letter: Up to 55 ppm black; ⁸ ; First Page Out Black: As fast as 5.3 sec; ¹⁰	
Print resolution	Black (fine lines): Up to 1200 x 1200 dpi	
Print Technology	Laser; Print Resolution Technologies: FastRes 1200; 1200 x 1200 dpi	
Print Cartridges Number	1 (black)	
Standard Print Languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™	
Printer Smart Software Features	Print preview, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Printer Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver	
Standard Connectivity	1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000T network	
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).	
Wireless Capability	Energy Star: 2.131 kWh/week	
Mobile Printing Capability	HP ePrint; Apple AirPrint™; Mopria-certified ⁷	
Memory	Standard: 512 MB ; Maximum: 1.5 GB, MAX memory, when 1GB Accessory DIMM is installed	
Processor Speed	1.2 GHz	
Duty Cycle	Monthly, letter: Up to 250,000 pages Recommended Monthly Page Volume: 5000 to 20,000	
Paper Handling	Input Capacities: 100-sheet multipurpose feeder, 550-sheet input feeder; Up to 650 sheets standard labels legal; Output Capacities: 500 sheet output bin; up to 500 sheets standard labels legal; Duplex Options: Manual (driver support provided); Envelope Feeder: Yes, 75 (optional); Standard Paper Trays: 2; Media Types Supported: Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope; Media Weight Supported: Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 16 to 32 lb bond (plain); Media Sizes Supported: feeder 1: Letter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 10, Monarch(7 3/4)], 3 x 5, 4 x 6, 5 x 7, 5 x 8; feeder 2: letter, executive, legal; Media Sizes Custom: feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 14 in	Input Capacities: 100-sheet multipurpose feeder, 550-sheet input feeder; Up to 650 sheets standard labels legal; Output Capacities: 500 sheet output bin; up to 500 sheets standard labels legal; Duplex Options: Automatic (standard); Envelope Feeder: Yes, 75 (optional); Standard Paper Trays: 2; Media Types Supported: Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope; Media Weight Supported: Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 16 to 32 lb bond (plain); Media Sizes Supported: feeder 1: Letter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 10, Monarch(7 3/4)], 3 x 5, 4 x 6, 5 x 7, 5 x 8; feeder 2: letter, executive, legal; Media Sizes Custom: feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 14 in
Product Dimensions	W x D x H: 17 x 18.3 x 15 in; Maximum: 17 x 40.9 x 17.8 in	
Product Weight	47.7 lbs	
What's in the box	HP LaserJet Printer; HP Black Original LaserJet Toner Cartridge (~11k yield); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord ²	
Warranty Features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4G)	
Energy Efficiency Compliance	ENERGY STAR® certified; Blue Angel; EPEAT® Silver; EPEAT® Gold (#AAZ, #201 options only)	
Control Panel	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad	
Display Description	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle)	
Software Included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals	
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts	
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	
Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Citrix XenDesktop 5.6 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 7.0/7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Novell NetWare 6.5/SP9 Novell Clients www.novell.com/irprint , Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers www.novell.com/irprint , Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services)	
Minimum System Requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info	
Power	Power Supply Type: Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier); Power Requirements: 100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz); 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz); 6 A; Power Consumption: 780 watts (printing), 15.3 watts (ready), 3.1 watts (sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off) ³	
Acoustics	Acoustic Power Emissions: 6.9 B(A); Acoustic Pressure Emissions: 55 dB(A)	
Operating Environment	Operating Temperature Range: 15 to 27°C; Recommended Operating Temperature: 59 to 80.6°F; Storage Temperature Range: -4 to 104°F; Non-Operating Humidity Range: 10 to 80% RH; Operating Humidity Range: 30 to 70% RH; Recommended Humidity Operating Range: 10 to 90% RH	
Security Management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key, and Kerberos authentication; Supports WPA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key, and Kerberos authentication; Supports WPA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs

¹ EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country. ² Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies> ³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device. ⁵ Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled. ⁶ Average color composite (CM/Yand black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies> ⁷ May require a firmware upgrade to be compatible, download at <http://www.hp.com/go/support> ⁸ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁹ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type. ¹⁰ Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ¹¹ eMMC is non-volatile storage; Firmware encryption (AES 128 or AES 256of customer/job data; Secure Cryptographic Erase - Job Data; Secure Erase - Disk 12 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit <http://www.hp.com/go/learnaboutsupplies>

Learn more at hp.com

